# KRAFTWER

Valid from 01.05.2023 to 31.07.2023

## Kraftwerk Selection 23-2

Art. 202.100.100

#### BASIC LINE Tool Case B100, ABS, 1/4" + 1/2", 170 pcs.

- Combination Spanners: 8 22 mm
- 1/4" + 1/2" Ratchets
- 1/4" Sockets: 4 14 mm
- 1/2" Sockets: 13 32 mm
- Long Nose plier
- Diagonal Cutter
- Combination Pliers
- Water Pliers
- Slotted Screwdriver 3.0 6.0 mm
- Phillips Screwdriver PH1, PH2
- TORX® Screwdriver T15 T30







Art. 202.152.000

#### BASIC LINE Tool Case B152, 1/4" + 3/8", 103 pcs.

- Cordless Bit-Driver, 7.2 V, 1500 mAh 1/4"
- Combination spanners: 8 19 mm
- 1/4"+ 3/8" Ratchets
- 1/4" Sockets: 4 6 mm
- 3/8" Sockets: 7 19 mm











Art. 206.100.000

#### BASIC LINE Toolbox, 1/4"+ 1/2", 100 pcs.

- Robust metal housing
- Combination Spanners: 8 19 mm
- 1/4" + 1/2" Ratchets
- 1/4" Sockets: 4 14 mm
- 1/2" Sockets: 10 32 mm





Art. 202.147.000

#### **BASIC LINE Tool Case B147.** 1/4" + 1/2", 158 pcs.

- Combination Spanners: 8 22 mm
- 1/4" + 1/2" Ratchets
- 1/4" Sockets: 4 14 mm
- 1/2" Sockets: 10 32 mm
- Kneeling Mat















Art. 99073

### 1/4" Socket Wrench Set 38 pcs.

- 1/4" Ratchet
- 1/4" Plug-in handle/extension
- 1/4" Extensions: 50 100 mm
- 1/4" Universal Joint
- 1/4" Sockets: 5.5 14 mm
- 1/4" Coupling for Bits 1/4"



Art. 204.102.200

#### BASIC LINE Socket Set, 1/2", 22 pcs.

**f** /kraftwerktools

- 1/2" Ratchet
- 1/2" Sockets: 10 32 mm



Art. 204.103.600

#### BASIC LINE Socket Set 1/4"+ 1/2", 80 pcs.

- 1/4"+ 1/2" Reversible ratchets, 45 teeth
- 1/4" Socket Spanners : 4 14 mm
- 1/2" Socket Spanners: 15 32 mm

## **KRAFTWER**

#### Art. 101.415.000

#### PRO LINE Mobile Tool Cabinet PT800, 5 drawers

- All-round impact protection made of ABS and TPR
- 5 drawers with ball bearings and full-extension runners
- Central locking of all drawers by cylinder lock
- Anti-tilt protection (prevents several drawers from opening at the same time)
- Storage options on the side panel as well as on the worktop, intelligent use of space with additional small side drawers on both sides for storing personal items
- Side panels with perforated wall pattern for optimum compatibility with our hook systems



600 mm | 400 mm

230 mm

45 ka

Art. 102.550.502

#### PRO LINE Mobile Tool Cabinet PT800, 7 drawers, 143 pcs

- 143 high quality tools in 9 special high density soft foam inserts (EVA) 20x40 cm
- Socket set 1/2" with sockets: 10 34 mm, extensions + joint piece
- Socket set 1/4" with sockets 3.5 14 mm, PH1-PH3, PZ1-PZ3, TX T8-T40, hexagon socket 3-8 mm
- Combination wrench set 8-24 mm
- Pliers/scissors set
- Cutting tool set
- Impact tool set with locksmith's
- + plastic hammer



### Art. 102.107.205

#### LT LINE Mobile Tool Cabinet LT700, 7 drawers, 155 pcs.

- Specialised workshop equipment with 155 tools
- Embedded in 7 EVA tool inlays
- Combination Spanners: 6 32 mm
- 1/4" + 1/2" Ratchets
- 1/4" Sockets: 5 13 mm
- 1/2" Sockets: 8 32 mm

- 1/4" TX Sockets: TXR TR6 TR40
- Pliers assortment
- Screwdriver assortment
- Percussion and cutting tools
- Files set



Art. 102.107.204

#### LT LINE Workshop trolley LT700 7 drawers 301 pcs.

- 301 tools in 6 special inserts of high density soft foam (EVA) 60 x 40 cm
- Combination spanners: 5.5 24 mm
- 1/4"+ 3/8"+ 1/2" Ratchets
- 1/4" Sockets: 4 14 mm
- 3/8" Sockets: 10 24 mm
- 1/2" Sockets: 14 32 mm



Art. 32069

#### **LED Inspection Lamp COMPACT** MINI 180, Rechargeable

- Running time: 2-15h
- Charging time: 2h
- 3 additional LEDs in lamp head
- Pivots by 270° on both sides
- Magnet in the base and on rear
- 3.7 V / 800 mAh Li-ion battery
- 50/200 Lux (1 m), 15/180 Lumen
- IP20





Art. 32085

#### LED Inspection Lamp SLIMFLEX, rechargeable

- Running time 3 8 h, Charge time 3 h
- Dimmable brightness levels
- Equipped with magnets
- 3.3 W SMD LED on side
- 1 W SMD LED in lamp head
- 3.7 V / 2000 mAh Li-ion battery
- 25/105 Lux (1 m), 70/400 Lumen, 5700 Kelvin
- IP20. IK07





Art. 3964D

#### MOBILIO 4-Elements storage system

- 1 tall cabinet with 4 shelves
- 3 wall units
- 1 drawer cabinet with 9 drawers
- 3 perforated tool walls
- 1 roller drawer cabinet with 7 drawers
- 1 base cabinet with waste bin/paper holder

€ 2.660,-

1.660,-

3.710.-

- With multiplex worktop

H 2000 x W 2955 x D 488 mm



Art. 3964A

#### **KRAFTWERK** MOBILIO 3-Elements Storage System

- 1 tall cabinet with 4 shelves
- 2 wall units
- 1 cabinet, 2-door with 1 shelf
- 1 drawer cabinet with 5 drawers
- 2 perforated tool walls
- With multiplex worktop

H 2 x W 196 x D 488 mm



Art. 702.000.000

#### LED Work Light FLEXDOT 600, Rechargeable

- Running time: 1.5 3 h, Charging time: 4 h
- Wide 100° angle beam
- Rotatable by 360°
- With magnet on rear and integrated hook
- 3.7 V / 2600 mAh Li-ion battery
- 170/330 Lux (1 m),
- 300/600 Lumen,
- 6400 Kelvin
- IP65







#### **Universal Precision** Bit Set, 24 pcs.


- with extensible Bit Screwdriver and extra long Bits
- Bits 45 mm, S/PH/TX/ TX-TR/H



Art. 3177

#### **ERGOKRAFT Precision Screwdriver** Set, 8 pcs.

- for Slotted and Phillips Screws
- For high-precision work
- With turnable cap







Art. 3400-50

#### **CLICKRAFT Combination** Ratchet Spanners Set, 4 pcs.

- Chrome plated and mirror polished
- 10-13-17-19 mm
- 72 teeth

#### PRO LINE Kraftwerk screwdrivers 5 pc.

- Seamless cap for minimal friction
- Perfect ergonomics = perfect transmission of torque
- Cross hole for easy storage or inserting lever to achieve higher torque
- Longevity due to use of chrome-molybdenum-vanadium steel
- Performance exceeding DIN-standards by up to 100%
- Black Tip for precise fit.
- Anti-roll handle design
- Drive symbol printed on cap



| Art.        | Size  | Price Euro |       |
|-------------|---|------------|-------|
| 105.402.001 | PRO LINE Screwdriver slotted<br>4 0.8 100/ 5 0.8 150/ 6 1.2 150, PH PH1 80/ PH2 100 | 28,-       | 41,40 |
| 105.402.003 | PRO LINE Screwdriver TX: TX10/ TX15/ TX20/ TX25/ TX30                               | 29,90      | 44,50 |

#### Art. 2387

#### German engineer hammer, DIN, 500 g

Black painted head, with polished faces, handle protection sleeve, shockproof two-component fiberglass handle and Safely connected head to handle with steel wedge and epoxy-safety-bonding.





#### Recoil free soft faced hammer with nylon head

- Cancelling the recoil by using metal balls inside the steel middle piece
- Smooth lacquered American hickory hard wood handle
- Steel middle piece fixed by a pin and wedged on the wood handle

| Art.        | Size           | Price Euro |       |
|-------------|----------------|------------|-------|
| 310.120.035 | Ø 35 mm, 360 g | 14.90      | 28.70 |
| 310.120.040 | Ø 40 mm, 480 g | 15.90      | 34    |



Art. 601.200.001

#### Precision scale

- Capacity 0.03 200 g, Readability 0.01 g
- Accuracy ±0,03 q
- Unit g, oz, dwt, gn, ct, ozt
- Power supply AAA batteries x2 (included)
- Platform size ( L x W ) 70 × 60 mm
- Scale size ( L x W x H ) 140 x 82.5 x 22.5 mm
- Net weight 174 g



Art. 308.100.000

**BASIC LINE Combination** pliers, 180 mm

Combination spanners set, 18 pcs. - Chrome plated and mirror polished



- 8 - 19 mm

Art. 3556

**Combination wrench** 





#### Set countersinks 9° HSS Co16, 6 pcs.

- For countersinking and deburring
- 3 pieces Ø 3-14 / 5-2 / 16-3.5 mm
- 9 degree 3 flutes
- Cobalt increased heat resistance
- No centring required
- For hand and column drill machines
- For VA materials and stainless steel







Art. 3557R





#### **PRO LINE Combination** Spanners Set, 4 pcs.

- 24-27-30-32 mm
- Chrome plated







#### Caliper gauge, digital, 15 mm x .1 mm / 6" x .5"

- Switchable from mm to inch
- Display 15 mm
- Accuracy ,1 mm -,5 "
- Large display
- Battery 2972B (AG13)



#### Retractable mini scraper (with 3 blades)





Art. 3338E

#### Art. 13904

#### HSSE-Co 5 twist drill assortment, 19-pcs.

- Ø 1.0 mm to 10.0 mm in increments from 0.5 mm
- DIN 338 type N
- Right hand cutting
- from  $\emptyset$  3.0 mm with cross grinding according to DIN 1412 C
- Point angle: 118°
- helix angle: 25-30°
- Tolerance: h8





Art. 11910

#### HSS-G Twist Drills Magazine, 170 pcs.

- Ø 1 mm up to 10 mm in increments of 0,5 mm
- 10 x Ø 1-8/0.5 mm
- 5 x Ø 8.5-1/ 0.5 mm
- DIN 338 type N
- Right hand cutting
- From Ø 3, mm with split point acc. to DIN 1412 C
- Point angle: 118°
- Helix angle: 25-30°
- Tolerance: h8





Your specialized dealer:

Valid from 01.05.2023 to 31.07.2023